

SERVERIRON 4G APPLICATION SWITCHES



SERVERIRON 4G

SERVERIRON 4G-SSL

APPLICATION ACCELERATION, AVAILABILITY AND SECURITY

KEY HIGHLIGHTS

- ▶ *Industry's most feature-rich entry-class application and content management switch family to deliver acceleration, availability and security to business-critical applications*
- ▶ *Purpose-built switches optimized for IP, VoIP, Web and secure Web application delivery in small- and mid-sized data centers, and server farms*
- ▶ *Comprehensive features for local and global application traffic management, Web acceleration, and server farm and application security*
- ▶ *Switch model with integrated hardware-based SSL acceleration support for secure Web and other SSL-enabled applications*
- ▶ *Features TrafficWorks OS and integrated Global Server Load Balancing (GSLB) proven on high-end ServerIron systems in the world's most demanding networks*

Overview

Foundry's ServerIron® 4G family of application and content management switches is designed to meet the growing demand for secure and accelerated delivery of Web and triple-play services in small- and mid-sized data centers. The product family, which includes two of the industry's most feature-rich and affordable switches, supports a broad range of IP- and Web-based applications in small-scale enterprise, e-commerce and service provider organizations.

As IP-based applications become a critical business foundation for these organizations, market demand for cost-effective application acceleration and delivery solutions that maintain optimized and always-on services is growing. Foundry's ServerIron 4G switches meet this demand, and help businesses see an immediate improvement in the performance and uptime of critical applications, including the ones that run on Oracle, BEA, IBM, Microsoft and Web platforms. With Foundry's purpose-built features for such applications, organizations can accelerate the delivery of business-critical services to local and remote users from a global network of data centers.

Foundry's ServerIron 4G family of switches maximizes application uptime, security and performance by leveraging highly-advanced traffic management and security features. With Foundry's highly integrated and standards-based global server load balancing (GSLB), the ServerIron 4G provides service redundancy across multiple data center locations to ensure business continuity during disasters. Using ASIC-based security feature implementation, the ServerIron 4G protects server farms and applications against near wire-speed Gigabit rate denial of service (DoS) attacks without compromising application performance to legitimate users.

Both the ServerIron 4G and 4G-SSL share a common ASIC-based architecture. The ServerIron 4G switch offers data-center class resiliency, and hardware-based security and acceleration features to ensure uptime and protection of business-critical applications. The ServerIron 4G-SSL switch additionally features integrated hardware-based Secure Sockets Layer (SSL) acceleration to increase the performance of secure Web transactions by offloading SSL processing from servers. The ServerIron 4G-SSL switch also helps centralize and simplify SSL certificate management.

Platform Features and Benefits

- ▶ **Integrated SSL Acceleration**—Model with integrated hardware SSL acceleration for secure Web applications
- ▶ **Redundant Power Supplies**—Support for redundant, removable and hot-swappable AC & DC power supplies
- ▶ **Flexible Connectivity**—Copper and fiber gigabit combination media options and support for 100 Mbps copper connectivity
- ▶ **Network Design Flexibility**—Seamless network integration with support for one-arm, in-line and DSR topology designs
- ▶ **Security**—Hardware-assisted wire-speed DoS/DDoS prevention, ACLs, and sFlow network monitoring combined with highly secure embedded real-time OS
- ▶ **Reliability**—Resilient switching and routing foundation with advanced support for RIPv2, OSPF, VRRP and VRRP-E

Specifications

	SERVERIRON 4G	SERVERIRON 4G-SSL
Concurrent Sessions	5,000,000	5,000,000
Application Throughput	1.5 Gbps	1.5 Gbps
Layer 4 Connection Performance (CPS)	40,000	40,000
Layer 7 Connection Performance (CPS)	15,000	15,000
SSL Connection Performance (CPS)	N/A	1,500
SSL Bulk Throughput	N/A	500 Mbps
Concurrent SSL Sessions	N/A	16,000
SSL Certificates	N/A	256
DDoS & DoS (SYN Flood) Protection (SYN/Sec)	1 million	1 million
Number of 100Mbps ports	4	4
Number of Copper Gigabit ports	4	4
Number of Fiber Gigabit Ports	4	4
Total number of ports	4	4
Base Layer 3 Features	Supports servers on different subnets from that of Virtual IP address	Supports servers on different subnets from that of Virtual IP address
Advanced Layer 3 Features (Premium TrafficWorks OS Upgrade Required)	OSPF, RIPv2, VRRP, VRRP-E, Static Routing	OSPF, RIPv2, VRRP, VRRP-E, Static Routing
Physical dimensions	2.625"h x 17.5"w x 23"d (6.67 x 44.5 x 58.4 cm)	2.625"h x 17.5"w x 23"d (6.67 x 44.5 x 58.4 cm)
Weight	30 lbs (15 kg)	30 lbs (15 kg)
Power Requirements	AC input voltage: 100vAC @ 3.5A MAX, 240vAC @ 1.5A MAX, 50-60Hz per auto-sensing, auto-switching power supply. DC input voltage: -36vDC to -48vDC @ 9.0A MAX	AC input voltage: 100vAC @ 3.5A MAX, 240vAC @ 1.5A MAX, 50-60Hz per auto-sensing, auto-switching power supply. DC input voltage: -36vDC to -48vDC @ 9.0A MAX

Ordering Information

PART NUMBER	DESCRIPTION
ServerIron 4G Base Platforms	
SI-4G	1.5 RU fixed configuration ServerIron with 4-port combo (fiber & copper) and one AC power supply (RPS5)
SI-4G-SSL	1.5 RU fixed configuration SSL-integrated ServerIron with 4-port combo (fiber & copper) and one AC power supply (RPS5)
ServerIron 4G Power Supply Options	
RPS5	Redundant AC Power Supply for ServerIron 4G and 4G-SSL
ServerIron 4G Mini GBIC Options	
E1MG-SX	1000Base-SX mini-GBIC optic, MME, LC connector
E1MTG-SX	1000Base-SX mini-GBIC optic, MME, MTRJ connector
E1MG-LX	1000Base-LX mini-GBIC optic, SMF, LC connector
E1MG-LHA	1000Base-LHA mini-GBIC optic, SMF, LC connector
E1MG-LHB	1000Base-LHB mini-GBIC optic, SMF, LC connector, 150km Maximum reach
E1MG-TX	1000BASE-TX Mini-GBIC Copper, RJ-45 Connector
ServerIron 4G Premium Software	
SI-4G-TW-PREM	ServerIron 4G Premium TrafficWorks GSLB and Advanced Layer 3 Upgrade

* DC power options available



Foundry Networks, Inc.
Corporate Headquarters
4980 Great America Parkway
Santa Clara, CA 95054

U.S. and Canada Toll-free:
1-888-TURBOLAN (887-2652)
Tel: +1 408.207.1700
Fax: +1 408.207.1709

info@foundrynet.com
www.foundrynetworks.com

Although Foundry has attempted to provide accurate information in these materials, Foundry assumes no legal responsibility for the accuracy or completeness of the information. More specific information is available on request from Foundry. Please note that Foundry's product information does not constitute or contain any guarantee, warranty or legal binding representation, unless expressly identified as such in duly signed writing.

© 2006 Foundry Networks, Inc. All Rights Reserved. Foundry Networks, BigIron, NetIron, IronShield, IronView, IronWare, JetCore, JetScope, MetroLink, Terathon, Traffic Works, Power of Performance and the 'Iron' family of marks are trademarks or registered trademarks of Foundry Networks, Inc. in the United States and other countries. sFlow is a registered trademark of InMon Corporation. All others are trademarks of their respective owners.

FDRY_DS-051_SI-4G_2006_11_Rev02